NORTHWEST CLIMATE CHANGE AND THE COASTAL ZONE

PHILIP MOTE
UNIVERSITY OF
WASHINGTON

The Climate Impacts Group

http://cses.washington.edu/cig/


Goal: help the Pacific Northwest become more resilient to climate variations and climate change





Supported by NOAA Climate Program Office as part of the Regional Integrated Science and Assessments (RISA) program













IPCC (2007)




IPCC (2007) CONCLUSIONS

- warming of the climate is unequivocal
- Most of the observed increase in global average temperatures since the mid-20th century is very likely due to the observed increase in anthropogenic greenhouse gas concentrations


Global mean temperature




REGIONAL ATTRIBUTION



Streamflow of the future






As the West warms, winter flows rise and summer flows drop

Stewart et al. J Climate 2005




Temperature change 2080-99 minus 1980-99



Averaged over 21 global models; IPCC Fig 11.12

Precipitation change 2080-99 minus 1980-99




Averaged over 21 global models; IPCC Fig 11.12





Downscaling

Global Climate Model Air Temperature




Texture of warming: Regional model minus global model for 2050s






Difference in projected winter temperature (°C)







"I'd chalk it up to just another crazy backyard hobby, except that he's the world's leading authority on global warming."





What controls local sea level

- Global sea level 21st century changes
 - thermal expansion
 - melting land ice
- Wind-driven sea level
- Local vertical land movements











SLR Estimate	Components	2050			2100		
		<u>NW</u> <u>Olympic</u> <u>Peninsula</u>	Central & Southern Coast	Puget Sound	<u>NW</u> <u>Olympic</u> <u>Peninsula</u>	Central & Southern Coast	Puget Sound
Very Low	Global SLR	9 cm			18 cm		
	Atm. Dynamics	-1 cm			- 2 cm		
	VLM	-20 cm	- 5cm	0 cm	- 40 cm	-10 cm	0 cm
	Total	-12 cm (-5")	3 cm (1")	8 cm (3")	-24 cm (-9")	6 cm (2")	16 cm (6")
Medium	Global SLR	15 cm			34 cm		
	Atm. Dynamics	0 cm			0 cm		
	VLM	- 15 cm	- 2.5 cm	0 cm	-30 cm	- 5 cm	0 cm
	Total	0 cm (0")	12.5 cm (5")	15 cm (6")	4 cm (2")	29 cm (11")	34 cm (13")
Very High	Global SLR	38 cm			93 cm		
	Atm. Dynamics	7 cm			15 cm		
	VLM	-10 cm	0 cm	10 cm	- 20 cm	0 cm	20 cm
	Total	35 cm (14")	45 cm (18")	55 cm (22")	88 cm (35")	108 cm (43")	128 cm (50")





CONCLUSIONS

- ** Regional-scale warming can now be attributed to rising greenhouse gases
- Many hydrologic changes consistent with warming will require policy and operational changes
- * Sea level rise ice sheets the wild card